

# BENCH PRO<sup>TM</sup>

... ROCK SOLID

## Purchase Guideline



www.benchpro.com



[www.benchdepot.com](http://www.benchdepot.com)  
(888) 700-9888  
[xano@benchpro.com](mailto:xano@benchpro.com)



3-5 Day Custom Lead Time • 5 Minute Assembly  
25 Year Unconditional Warranty  
Customizable Workstations, Chairs, and Carts  
Build A Custom Workstation On Our 3D Configurator

## Step 1: Select Workbench Design



**Kennedy**

- Our Best Seller
- 5,000 Lb Capacity



**Stainless Steel Kennedy**

- Class 1 Cleanroom
- Full Stainless Steel Table



**Dewey**

- Recessed Legs Workbench
- 5,000 Lb Capacity



**Hydraulic Lift**

- Available in Adams, Roosevelt, And Cleveland

## Step 2: Select Workbench Tabletop



**Formica Laminate**

- Edge Cut
- Round Edge
- T-Mold



**ESD Laminate**

- Round Edge



**Cleanroom**

- Edge Cut
- Round Edge




**Cleanroom ESD**

- Round Edge




**Butcher Block**

- Edge Cut (Oil or Lacquered)
- Round Edge (Oil or Lacquered)




**Phenolic**

- 3/4" or 1" Edge Cut
- 3/4" or 1" Round Edge



**Disposable Top**

- \* Kennedy Series Only
- Particle Board Edge Cut



**Powder Painted Steel**

- \* Kennedy Series Only
- Galvaneal Top Edge Cut



**Stainless Steel**

- Grade 304 (Edge Cut or Round Edge)
- Grade 430 (Edge Cut or Round Edge)



**Galvanized Steel**

- \* Excludes Dewey Series
- Galvanized Edge Cut
- Raw Galvaneal Edge Cut

### Standard Sizes (Dimensions D x L)

- |              |              |              |              |
|--------------|--------------|--------------|--------------|
| • 24" x 24"  | • 30" x 24"  | • 36" x 24"  | • 48" x 24"  |
| • 24" x 30"  | • 30" x 30"  | • 36" x 30"  | • 48" x 30"  |
| • 24" x 36"  | • 30" x 36"  | • 36" x 36"  | • 48" x 36"  |
| • 24" x 48"  | • 30" x 48"  | • 36" x 48"  | • 48" x 48"  |
| • 24" x 60"  | • 30" x 60"  | • 36" x 60"  | • 48" x 60"  |
| • 24" x 72"  | • 30" x 72"  | • 36" x 72"  | • 48" x 72"  |
| • 24" x 96"  | • 30" x 96"  | • 36" x 96"  | • 48" x 96"  |
| • 24" x 120" | • 30" x 120" | • 36" x 120" | • 48" x 120" |
| • 24" x 144" | • 30" x 144" | • 36" x 144" | • 48" x 144" |
| • 24" x 168" | • 30" x 168" | • 36" x 168" | • 48" x 168" |

## Step 3: Workbench Information

### 1. Select Depth, Width, and Height of Bench

- a. BenchPro offers various sizes
- b. Customization does not delay lead time

Specify DxWxH: \_\_\_\_\_

Depth
24 Inches
30 Inches
36 Inches
48 Inches

Width
24 Inches
30 Inches
36 Inches
48 Inches
60 Inches
72 Inches
96 Inches
120 Inches

Height
28" Inches
30" Inches
32" Inches
34" Inches
36" Inches
38" Inches
40" Inches
42" Inches

\*Standard Height/ Office Use

\*Commonly Used as Industrial Height

\*Commonly Used as Standing Height

### 2. Select Frame Color

- a. Custom colors are available for frame and table top
- b. Please provide color code for customization

Frame Colors
Standard White
Storm Gray
Standard Black
Beige
Standard Blue
Dark Blue

Table Top Colors
Standard White
Storm Gray
Standard Black
Beige
Light Gray

Specify Frame Color: \_\_\_\_\_  
Specify Table Top Color: \_\_\_\_\_

3. Select the Amount of Benches Required: \_\_\_\_\_

## Step 4: Adjustable Legs



• Adjust heights of bench up to 6" by 2" increments from any starting height



• Adjust heights of bench up to 6" by 2" increments from any starting height

## Step 5: Casters



\*For Harding Series Only

## Step 6: Uprights

Leg Mount, Single Sided



- Allows For More Space On The Worksurface. Heavy Loads May Cause Them To Lean Forward Slightly

Top Mount, Double Sided



- Use for Back to Back Benches  
\* Uprights Required for Lighting and Shelves

Stainless Steel Upgrades Available As Option

## Step 7: Lighting

LED Light



- 20", 32", 44", 56", 68", and 92"
- 12v, 6-Amp 115 Power Supply

Sealed LED Light



- 24", 48", 60"
- Brighter and Most Affordable

Flourescent Light



Sealed Light



- 24", 48", and 60"
- Brighter and Eliminates Dust

## Step 8: Light Frames

45° Light Frame



90° Light Frame




45° Double Light Frame



90° Double Light Frame



## Step 9: Shelving



- Formica
- ESD
- Phenolic
- Butcher Block
- Cleanroom
- Chemical Resistant
- Stainless Steel
- Wire



- 19", 31", 43", 55", 79", and 103" Long

## Step 10: Power

### Stainless Steel



- 16-Amp
- 8, 12, and 16 Outlets

### Installed In Frame




- 15-Amp
- 4 and 8 Outlets
- Installed on Front or Back

### USB Mounted Strip



- BenchPro Exclusive
- Eliminates Dangling Cords

### Adj. Height Plug Strip



- 15-Amp
- 8, 12, and 16 Outlets
- Face Front, Down, or Back

## Step 11: Cabinets

### Overhead Sliding



- Heavy Stainless Steel Handles
- Nylon Wheels For Easy Sliding Doors
- Can Be Keyed Differently

### Secure Electrics



- Heavy Stainless Steel Handles
- Nylon Wheels For Easy Sliding Doors
- Can Be Keyed Differently

### Drawer Space



- Stainless Steel Handles
- Full Piano Hinges
- Tumbler Lock

### Stand Alone Cabinet



- Comes In Various Sizes (D x W x H)
- Available With Wheel/Caster
- Available With Phenolic Resin Top

## Step 12: Articulating Shelves

### LCD Monitor Holder



### LCD Monitor + Keyboard



### Document Holder



### Shelf



## Step 13: Drawers

### 14.5" Wide



- 20" Depth x 14.5" Wide
- Height: 2", 4", 6", and 12"
- Keyed Alike/ Keyed Differently

### 21" Wide



- 100 Lb. Weight Capacity
- Installed on Left or Right

Stainless Steel Upgrades Available As Option

## Step 14: Riser Shelves

### Folding Shelves



- Formica
- ESD
- Butcher Block
- Cleanroom
- Chemical Resistant
- Abrasion Laminate


### Tubular Shelves



- Formica
- ESD
- Butcher Block
- Cleanroom
- Chemical Resistant

## Step 15: Bottom Shevles

### Bottom Shelf, Radiused



### Bottom Shelf, Roll-Out



- These Shelves Snap Into Position With The Use of Tools

### Bottom Shelf Options

- Formica
- ESD
- Butcher Block
- Cleanroom
- Chemical Resistant
- Abrasion Resistant
- Powder Painted Steel
- Stainless Steel

## Step 16: Footrest

### Type 2 (Adjustable)



- Vertically and Horizontally Adj.